



ATG Ground Box. 12" dia solid base sump with a 12" dia grey flat sealed cover and frame. One PSB/110 4 7/8" dia pipe sealkit. One PEC/32 1 1/4" dia conduit sealkit

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.


**FIBRELITE**   
PART OF OPW A DOVER COMPANY



ATG Ground Box. 12" dia solid base sump with a 12" dia grey flat sealed cover and frame. One PSB/110 4 7/8" dia pipe sealkit. One PEC/32 1 1/4" dia conduit sealkit

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

**FIBRELITE**   
PART OF OPW A DOVER COMPANY




ATG Ground Box. 12" dia solid base sump with a 12" dia grey flat sealed cover and frame. One PSB/110 4 7/8" dia pipe sealkit. One PEC/32 1 1/4" dia conduit sealkit

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.


**FIBRELITE**   
PART OF OPW A DOVER COMPANY

**! VERY IMPORTANT !**  
 OUTER EDGE "A" OF FRAME  
 SET 1/4 - 1/2" ABOVE GENERAL  
 FORECOURT AREA WITH  
 CONCRETE RAMPED AWAY  
 OVER 12"

**TYPICAL INSTALLATION**



**ALTERNATIVE INSTALLATION ADVICE**



**TARMACADAM**

