


48" eight sided solid base chamber, corbel, adjustable height skirt, watertight internal platform, 35 1/2" dia. watertight flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.



FIBRELITE 
PART OF OPW A DOVER COMPANY



48" eight sided solid base chamber, corbel, adjustable height skirt, watertight internal platform, 35 1/2" dia. watertight flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

FIBRELITE 
PART OF OPW A DOVER COMPANY



48" eight sided solid base chamber, corbel, adjustable height skirt, watertight internal platform, 35 1/2" dia. watertight flat sealed cover and frame.


For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

FIBRELITE 
PART OF OPW A DOVER COMPANY

VERY IMPORTANT
 OUTER EDGE "A" OF FRAME SET 1/2" - 1/4"
 ABOVE GENERAL FORECOURT AREA WITH
 CONCRETE RAMPED AWAY OVER 12".


TYPICAL INSTALLATION

CONCRETE




ALTERNATIVE INSTALLATION ADVICE

TARMACADAM



SETTS



48" eight sided solid base chamber, corbel, adjustable height skirt, watertight internal platform, 35 1/2" dia. watertight flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

FIBRELITE

PART OF OPW A DOVER COMPANY