


Fibrelite Lightweight Pedestrian Lids

Designed for pedestrian trenches, manufactured from high performance polymers and engineered to outperform similar products made from concrete and fiberglass reinforced concrete materials, these lids are lightweight, yet tough enough to withstand harsh field conditions.




Substations • Power Plants • Solar Farms • Wind Farms • Data Centers • Industrial • Indoor • Commercial





Fibrelite Lightweight Pedestrian Lids

Engineering Specifications & Benefits

- Lightweight FRP composite construction
- Chip and crack resistant
- Safe, fast manual removal and replacement with the Fibrelite FL7 lifting handles
- Freeze / thaw cycle impervious
- Non-conductive
- · Chemically inert
- Exceeds service requirements
- Anti-slip / anti-static surface
- Non-corrosive
- · Custom colors available
- No scrap value
- Weather resistant
- Maintenance-free
- UV stable







COVER CODE	W = WIDTH (INCHES)	L* = LENGTH (INCHES)	B*2 BEARING (INCHES)	WEIGHT (LBS)
LPF16-60	16"	60"	2 1/4"	30
LPF26-60	26"	60"	2 1/4"	48
LPF30-60	30"	60"	2 1/4"	57
LPF36-60	36"	60"	2 1/4"	68
LPF46-30	46"	30"	2 1/4"	45
LPF46-40	46"	40"	2 1/4"	58
LPF54-30	54"	30"	2 1/4"	52
LPF54-40	54"	40"	2 1/4"	68
APF22-60	22"	60"	3 1/4"	46
APF32-60	32"	60"	3 1/4"	64
APF42-60	42"	60"	3 1/4"	82
APF52-30	52"	30"	3 1/4"	50

^{*+0 /-1/8&}quot; Tolerance. *2 +/-1/4"

Tel: (859) 781 0831 Fax: (859) 781 1085 Email: info@trenwa.com

Address: 1419 Alexandria Pike,





Fibrelite Lightweight Pedestrian Lid - Accessories



Ergonomic Lifting Handle

FL7 cover lifting handle. Size: 7" (W) x 31" (H)





Lifting Handle Cabinet

The FL7A-ENCL cabinet is designed to fit two lifting handles securely. A lock and key are provided.

Size: 14" (W) x 36" (H) x 4" (D)

Tel: (859) 781 0831 Fax: (859) 781 1085 Email: info@trenwa.com

Address: 1419 Alexandria Pike, Fort Thomas, KY 41075, USA

